

AudioCodes Teams C435HD-R IP-Phone PoE GbE black

Brand : AudioCodes

Product code: TEAMS-C435HD-R

Product name : Teams C435HD-R IP-Phone PoE GbE black

- Crystal-clear sound
 - Full duplex speaker phone
 - Native support for Microsoft Teams
 - Superior voice quality
 - PoE or external power supply
 - Robust security mechanisms
- Teams C435HD-R IP-Phone PoE GbE black

AudioCodes Teams C435HD-R IP-Phone PoE GbE black:


The AudioCodes C435HD IP phone is a Microsoft Teams-native entry level/common area phone designed to support the next generation of enterprise collaboration technologies. Equipped with a 4.3" color LCD screen, the C435HD supports Microsoft Teams out-of-the-box to deliver feature-rich unified communications.

AudioCodes Teams C435HD-R IP-Phone PoE GbE black. Product type: IP Phone, Product colour: Black, Handset type: Wired handset. Operating system installed: Android, Dual-Tone Multi-Frequency (DTMF) modes: SIP info. Volume control: Buttons. Display: LCD, Display diagonal: 10.9 cm (4.3"). Voice codecs: G.711, G.722, G.729, Silk



Design		Network	
Product type *	IP Phone	Ethernet LAN *	✓
Handset type	Wired handset	Ethernet LAN interface type	Gigabit Ethernet
Product colour *	Black	Ethernet LAN data rates	10,100,1000 Mbit/s
Wall mountable	✓	Wi-Fi *	✗
Performance		Bluetooth *	✗
Operating system installed	Android	Supported network protocols	UDP/TCP, NTP, DNS/SRV
Operating system version	9.0	Quality of Service (QoS) support	✓
Dual-Tone Multi-Frequency (DTMF) modes	SIP info	Security algorithms	802.1x RADIUS, HTTPS, SRTP, TLS
Phone features		Networking standards	IEEE 802.3af
Answering machine	✓	Ports & interfaces	
Call waiting	✓	Headset connectivity	1
Call hold	✓	Ethernet LAN (RJ-45) ports	2
Call forwarding	✓	DC-in jack	✓
Conference call	✓	WAN connection type	RJ-45
Redialing	✓	Cable lock slot	✓
Do not disturb function	✓	Power	
Caller ID *	✓	Power over Ethernet (PoE) *	✓
Call park	✓	AC adapter input voltage	100 - 240 V
Call pick up	✓	Input current	2 A
Full duplex	✓	AC adapter output voltage	12 V
Call transfer	✓	Operational conditions	
Message-waiting indicator (MWI)	✓	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-20 - 70 °C
Integrated voicemail	✓	Weight & dimensions	
Volume control	Buttons	Width	249 mm
Keypad number of keys	8	Depth	132 mm
Display		Weight	916 g
Display	LCD	Height (min)	16.1 cm
Display diagonal	10.9 cm (4.3")	Height (max)	18.9 cm
		Package width	316 mm
		Package depth	255 mm

Display		Weight & dimensions	
Touchscreen *	✓	Package height	95 mm
Audio		Package weight	1.39 kg
Speakerphone *	✓	Packaging content	
Microphone mute	✓	Number of handles included *	1 pc(s)
Voice codecs	G.711, G.722, G.729, Silk	Manual	✓
Echo cancellation	✓	Cables included	LAN (RJ-45)
Voice activity detection	✓	Logistics data	
Adaptive jitter buffers	✓	Products per master (outer) case	15900 pc(s)
Comfort noise generation (CNG)	✓	Master (outer) case length	500 mm
Packet loss concealment (PLC)	✓	Master (outer) case width	532 mm
		Master (outer) case height	361 mm



7613081108041



5715063540442

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.