

AudioCodes Teams C455HD IP-Phone PoE GbE black with integrated BT and Dual Band Wi-Fi

Brand : AudioCodes

Product code: TEAMS-C455HD-DBW

Product name : Teams C455HD IP-Phone PoE GbE black with integrated BT and Dual Band Wi-Fi



Teams C455HD IP-Phone PoE GbE black with integrated BT and Dual Band Wi-Fi

AudioCodes Teams C455HD IP-Phone PoE GbE black with integrated BT and Dual Band Wi-Fi:

The AudioCodes Microsoft Teams-native C455HD IP phone is a feature-rich, executive high-end business phone, packed with the latest technology for delivering a seamless Microsoft Teams experience every time. The C455HD is equipped with a large and intuitive 5" color touch screen for exceptional ease-of-use, while stunning HD sound quality ensures that every conversation is productive – and then some. This device is also available as the C455HD-DBW, complete with a 5" color touch expansion module that really brings your Microsoft Teams meetings to life, as well as dual band Wi-Fi and Bluetooth for wireless headsets.



Design		Network	
Product type *	IP Phone	Ethernet LAN data rates	10,100,1000 Mbit/s
Handset type	Wired handset	Wi-Fi *	✓
Product colour *	Black	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wall mountable	✓	Bluetooth *	✓
Performance		Bluetooth version	4.2
Operating system installed	Android	Supported network protocols	IPv4, TCP, UDP, ICMP, ARP, RTP, SRTP, RTCP-XR, 802.1x, IP/DHCP IP, IEEE 802.1p/Q, QoS/ToS, HTTP/HTTPS/DHCP, NTP, FTP/TFTP, CDP/LLDP VLAN, LDAP
Operating system version	9		
Dual-Tone Multi-Frequency (DTMF) modes	SIP info	Quality of Service (QoS) support	✓
Phone features		Security algorithms	HTTPS, SRTP, SSL/TLS
Lines quantity *	8 lines	Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3af
Answering machine	✓	Ports & interfaces	
Call waiting	✓	USB 2.0 ports quantity	2
Speed dialling	✓	Ethernet LAN (RJ-45) ports	2
Call hold	✓	RJ-9 ports quantity	1
Call forwarding	✓	DC-in jack	✓
Conference call	✓	WAN connection type	RJ-45
Redialing	✓	Cable lock slot	✓
Do not disturb function	✓	Certificates	
Caller ID *	✓	Sustainability compliance	✓
Call park	✓	Compliance certificates	Federal Communications Commission (FCC)
Call pick up	✓	Power	
Full duplex	✓	Power over Ethernet (PoE) *	✓
Call transfer	✓	AC adapter input voltage	100 - 240 V
Message-waiting indicator (MWI)	✓	AC adapter output voltage	12 V
Management features		AC adapter output current	2 A
Integrated voicemail	✓	Operational conditions	
Volume control	Buttons	Operating temperature (T-T)	0 - 40 °C
Number of programmable keys	8		
Firmware upgradeable	✓		

Display		Operational conditions	
Display	TFT	Storage temperature (T-T)	-20 - 70 °C
Display diagonal	12.7 cm (5")	Weight & dimensions	
Display resolution	1280 x 720 pixels	Width	236 mm
Touchscreen *	✓	Depth	200 mm
Audio		Height	165.9 mm
Speakerphone *	✓	Weight	988 g
Microphone mute	✓	Height (min)	17 cm
Voice codecs	G.711Mu, G.711a, G.722, G.729A, G.729B, OPUS	Height (max)	19.5 cm
Echo cancellation	✓	Package width	280 mm
Voice activity detection	✓	Package depth	245 mm
Adaptive jitter buffers	✓	Package height	110 mm
Packet loss concealment (PLC)	✓	Package weight	1.55 kg
Network		Packaging content	
Ethernet LAN *	✓	Number of handles included *	1 pc(s)
Ethernet LAN interface type	Gigabit Ethernet	Manual	✓
		Cables included	LAN (RJ-45)
		Logistics data	
		Master (outer) case gross weight	14.5 kg
		Master (outer) case length	467 mm
		Master (outer) case width	579 mm
		Master (outer) case height	291 mm



5715063543047

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.